

Batch No:75840-1Next Product Name:POE-32Invoice No:65760Next Item No:122-32Production Date:27-06-22Shelf Life (3 years)16-07-24

			Specification	
Characteristic	Test Value	Typical	Min	Max
Viscosity @ 40°C (cSt)	33,81	35	32	38
Colour (ASTM D1500)	1,0	1,0	0,00	2
Specific Gravity	0,9935	0,99	0,97	1,01

This is to certify that this batch has been manufactured and inspected per Next Lubricants Manufacturing standards

Jennifer Claxton

Quality Control Manager

Michael Sandler



Batch No:75876-1Next Product Name:POE-32Invoice No:65760Next Item No:122-32Production Date:20-07-22Shelf Life (3 years)8-08-24

			Specification	
Characteristic	Test Value	Typical	Min	Max
Viscosity @ 40°C (cSt)	34,2	35	32	38
Colour (ASTM D1500)	1,0	1,0	0,00	2
Specific Gravity	0,9935	0,99	0,97	1,01

This is to certify that this batch has been manufactured and inspected per Next Lubricants Manufacturing standards

Jennifer Claxton

Quality Control Manager

Michael Sandler Technical Director



Batch No:75684-1Next Product Name:POE-55Invoice No:65760Next Item No:122-55Production Date:16-03-22Shelf Life (3 years)4-04-24

			Specification	
Characteristic	Test Value	Typical	Min	Max
Viscosity @ 40°C (cSt)	53,98	52	49	57
Colour (ASTM D1500)	1,0	1,0	0,00	2
Specific Gravity	0,9255	0,92	0,91	0,95

This is to certify that this batch has been manufactured and inspected per Next Lubricants Manufacturing standards

Jennifer Claxton

Quality Control Manager

Michael Sandler Technical Director



Batch No:75812-5Next Product Name:POE-68Invoice No:65760Next Item No:122-68Production Date:7-06-22Shelf Life (3 years)26-06-24

			Specification	
Characteristic	Test Value	Typical	Min	Max
Viscosity @ 40°C (cSt)	70,5	62	60	72
Colour (ASTM D1500)	1,0	1,0	0,00	2
Specific Gravity	0,9975	0,92	0,91	0,95

This is to certify that this batch has been manufactured and inspected per Next Lubricants Manufacturing standards

Jennifer Claxton

Quality Control Manager

Michael Sandler



Batch No:75780-2Next Product Name:POE-170Invoice No:65760Next Item No:122-170Production Date:18-05-22Shelf Life (3 years)6-06-24

			Specification	
Characteristic	Test Value	Typical	Min	Max
Viscosity @ 40°C (cSt)	159,5	154	150	165
Colour (ASTM D1500)	1,5	0,5	0,00	2
Specific Gravity	0,9805	0,98	0,96	0,99

This is to certify that this batch has been manufactured and inspected per Next Lubricants Manufacturing standards

Jennifer Claxton

Quality Control Manager

Michael Sandler



Batch No:75875-2Next Product Name:POE-170Invoice No:65760Next Item No:122-170Production Date:20-07-22Shelf Life (3 years)8-08-24

			Specification	
Characteristic	Test Value	Typical	Min	Max
Viscosity @ 40°C (cSt)	155,5	154	150	165
Colour (ASTM D1500)	2,0	0,5	0,00	2
Specific Gravity	0,9785	0,98	0,96	0,99

This is to certify that this batch has been manufactured and inspected per Next Lubricants Manufacturing standards

Jennifer Claxton

Quality Control Manager

Michael Sandler